EAST Search History

S15	81	((sampl$5 hold$4) near4 peak) and ((369/59.11 369/116).ccls.)	US-PGPUB; USPAT	OR	ON	2006/06/16 08:45
S16	300	(369/53.26).ccls.	US-PGPUB; USPAT	OR	ON	2006/08/01 17:14
S17	2295516	sampl$5 hold$4	US-PGPUB; USPAT	OR	ON	2006/08/01 17:14
S18	149	S16 and S17	US-PGPUB; USPAT	OR	ON	2006/08/01 17:14
S19	51	(sampl$5 hold$4) and (reset$4 restart$4 clear$4) and (369/53.26).ccls.	US-PGPUB; USPAT	OR	ON	2006/08/04 12:30
S20	16	((sampl$5 hold$4) same (reset$4 restart$4 clear$4 reinitializ$6)) and (369/53.26).ccls.	US-PGPUB; USPAT	OR	ON	2006/08/04 11:49
S21	15	(power with control$4) and ((sampl$5 hold$4) same (reset$4 restart$4 clear$4)) and (369/53.26).ccls.	US-PGPUB; USPAT	OR	ON	2006/08/04 11:15
S22	3	(power with control$4) and ((sampl$5 hold$4) same (reset$4 restart$4 clear$4) same (peak maximum max)) and (369/53.26).ccls.	US-PGPUB; USPAT	OR	ON	2006/08/04 11:16
S23	35	S19 not S20	US-PGPUB; USPAT	OR	ON	2006/08/04 11:49
S24	31	(sampl$5 and hold$4) and (reset$4 restart$4 clear$4) and (369/53.26).ccls.	US-PGPUB; USPAT	OR	ON	2006/08/05 20:00
S25	20	((sampl$5 and hold$4) and (reset$4 restart$4 clear$4) and (369/53.26).ccls.) not S20	US-PGPUB; USPAT	OR	ON	2006/08/04 12:31
S26	4	(369/53.26).ccls. and (FPDO same (sampl$4 hold$4))	US-PGPUB; USPAT	OR	OFF	2006/08/05 19:16
S27	14	(FPDO same (sampl$4 hold$4))	US-PGPUB; USPAT	OR	OFF	2006/08/05 19:30
S28	2898	photodiode same control$6 same (sampl$4 hold$4)	US-PGPUB; USPAT	OR	ON	2006/08/05 19:30
S29	19	(369/53.26).ccls. and (photodiode same control$6 same (sampl$4 hold$4))	US-PGPUB; USPAT	OR	ON	2006/08/06 18:55
S30	29	(sampl$5 and hold$4) and ((low-pass (low adj pass)) near5 filter) and (369/53.26).ccls.	US-PGPUB; USPAT	OR	ON	2006/08/05 20:07
S31	29	photodiode same (sampl$5 and hold$4) same ((low-pass (low adj pass)) near5 filter)	US-PGPUB; USPAT	OR	ON	2006/08/05 20:19

S32	8606	photodiode same (switch ((transmi$9 output$4) near5 control))	US-PGPUB; USPAT	OR	ON	2006/08/05 20:21
S33	1288	photodiode same (switch ((transmi$9 output$4 result$4) near5 control)) same (sampl$4 hold$4)	US-PGPUB; USPAT	OR	ON	2006/08/05 20:22
S34	11	(369/53.26).ccls. and (photodiode same (switch ((transmi$9 output$4 result$4) near5 control)) same (sampl$4 hold$4))	US-PGPUB; USPAT	OR	ON	2006/08/05 20:22

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	664	(ratio with power) and (photodiode same (sampl$4 hold$4))	US-PGPUB; USPAT	OR	ON	2006/08/06 18:56
L5	3	(ratio with power) and (photodiode same (sampl$4 hold$4)) and (369/53.26).ccls.	US-PGPUB; USPAT	OR	ON	2006/08/06 18:58
L6	21	(ratio with power) and (photodiode same (sampl$4 hold$4)) and ("369"/$).ccls.	US-PGPUB; USPAT	OR	ON	2006/08/06 19:06
L7	1	(correct$4 adjust$6) same ((difference ratio) with measure$6 with (actual real) with power) and (photodiode same (sampl$4 hold$4))	US-PGPUB; USPAT	OR	ON	2006/08/06 19:07
L8	1	((correct$4 adjust$6) same ((difference ratio) with measure$6 with (actual real) with power)) and (photodiode same (sampl$4 hold$4))	US-PGPUB; USPAT	OR	ON	2006/08/06 19:10
L9	1	((correct$4 adjust$6 multipl$6) same ((difference ratio) with measure$6 with (actual real) with power)) and (photodiode same (sampl$4 hold$4))	US-PGPUB; USPAT	OR	ON	2006/08/06 19:15
L10	171	((correct$4 adjust$6 multipl$6) same ((difference ratio) with measure$6 with (actual real) with power))	US-PGPUB; USPAT	OR	ON	2006/08/06 19:16
L11	9	((correct$4 adjust$6 multipl$6) same ((difference ratio) with measure$6 with (actual real) with power)) and ("369"/$ "359"/$)	US-PGPUB; USPAT	OR	ON	2006/08/06 19:14
L12	107	((correct$4 adjust$6 multipl$6) same ((difference ratio) with measure$6 with (actual real) with power)) and (sampl$4 hold$4)	US-PGPUB; USPAT	OR	ON	2006/08/06 19:12
L13	12	((correct$4 adjust$6 multipl$6) same ((difference ratio) with measure$6 with (expect$6 actual real) with power)) and ("369"/$ "359"/$)	US-PGPUB; USPAT	OR	ON	2006/08/06 19:14
L14	1	((correct$4 adjust$6 multipl$6) same ((difference ratio) with measure$6 with (expect$6 actual real) with power)) and (photodiode same (sampl$4 hold$4))	US-PGPUB; USPAT	OR	ON	2006/08/06 19:15

C:\Documents and Settings\pgupta\My Documents\Current\more East\Final 10604507.wsp

EAST Search History

L15	1	((correct$4 adjust$6 multipl$6) same ((difference ratio) with measure$6 with (actual real) with power)) and "369"/$	US-PGPUB; USPAT	OR	ON	2006/08/06 19:18
L16	6	((fix$4 chang$4 correct$4 adjust$6 multipl$6) same ((difference ratio) with measure$6 with (expect$6 actual real) with power)) and "369"/$	US-PGPUB; USPAT	OR	ON	2006/08/06 19:19
S1	1	10/604507	US-PGPUB; USPAT	OR	OFF	2006/06/13 17:31
S2	7	(multi adj3 pulse) with (peak adj3 hold)	US-PGPUB; USPAT	OR	OFF	2006/06/13 17:31
S3	7	(multi adj3 pulse) with (peak adj3 hold$4)	US-PGPUB; USPAT	OR	OFF	2006/06/13 17:31
S4	1	((multi adj3 pulse) with (peak adj3 hold$4)) same (output with power)	US-PGPUB; USPAT	OR	ON	2006/06/13 17:32
S5	7	((multi adj3 pulse) same (peak adj3 hold$4)) and (output with power)	US-PGPUB; USPAT	OR	ON	2006/06/13 17:32
S6	7	((multi adj3 pulse) same (peak adj3 hold$4)) and (output with power) and (diode laser light photodiode)	US-PGPUB; USPAT	OR	ON	2006/06/14 10:04
S7	11	(((multi more additional other another) adj3 pulse) same (peak adj3 hold$4)) and (output with power) and (diode laser light photodiode)	US-PGPUB; USPAT	OR	ON	2006/06/14 09:26
S8	12	(((multi more additional other another) adj3 pulse) same ((peak bottom) adj3 hold$4)) and (output with power) and (diode laser light photodiode)	US-PGPUB; USPAT	OR	ON	2006/06/14 10:05
S9	42	(((multi more additional other another) adj3 pulse) same ((peak bottom sampl$4) near4 hold$4)) and (output with power) and (diode laser light photodiode)	US-PGPUB; USPAT	OR	ON	2006/06/14 15:03
S10	298	(369/53.26).ccls.	US-PGPUB; USPAT	OR	ON	2006/06/16 08:45
S11	2262872	sampl$5 hold$4	US-PGPUB; USPAT	OR	ON	2006/06/14 15:04
S12	148	S10 and S11	US-PGPUB; USPAT	OR	ON	2006/06/14 15:04
S13	24048	(sampl$5 hold$4) near4 peak	US-PGPUB; USPAT	OR	ON	2006/06/16 08:44
S14	39	S10 and S13	US-PGPUB; USPAT	OR	ON	2006/06/14 15:05